

Sovereign

Downlights






The signature range from
Commercial Lighting Systems Ltd

Index



Maxi
Fixed Downlight

8



Midi
Fixed Downlight

10



Mini
Fixed Downlight

12



Mini Darklight
Fixed Downlight

14



Maxi
Gimbal Downlight

20



Maxi Twin
Gimbal Downlight

22



Midi
Gimbal Downlight

24



Scoop
Adjustable Downlight

26

Versatile

The Sovereign Downlight catalogue offers a comprehensive range of ceiling downlights. Each product range is highly customisable to meet exact requirements. Standard variants are shown, but many more options are available, including bespoke customisation. Please get in touch for more details.

High Quality

Sovereign products are built to last. We use only the highest quality materials and trusted suppliers. This ensures premium light quality and product longevity.



A comprehensive range of interior ceiling downlights. From miniature 2W display downlights to high power luminaires for suitable for large indoor spaces.

Perfect for new installations or as an ideal replacement for existing metal halide units.

the
**Fixed
Downlight**
ranges






Product Family		Housing Colour		CCT		Suffix
S98911	20W	.05	White	01	3000K	.8
S98912	25W	.04	Black	02	4000K	
S98913	30W	.21 Silver				
S98914	35W					

EM and dimmable options available - see page 30 for ordering info.

Maxi Fixed


Interior Downlight




Wattage	CCT	Lumens	Efficacy
20W	3000K	2000lm	100lm/W
20W	4000K	2200lm	110lm/W




Wattage	CCT	Lumens	Efficacy
25W	3000K	2500lm	100lm/W
25W	4000K	2750lm	110lm/W



Wattage	CCT	Lumens	Efficacy
30W	3000K	3000lm	100lm/W
30W	4000K	3300lm	110lm/W



Wattage	CCT	Lumens	Efficacy
35W	3000K	2500lm	100lm/W
35W	4000K	3850lm	110lm/W



TECHNICAL SPECIFICATIONS

IP rating	IP20
CRI	>80
Lamp Life	50,000 hours
Light Source	CREE LED
Voltage	240V
Driver	High efficiency
LED Warranty	5 Years

HOUSING

Material	Aluminium
Finish	Powder coated
Protection Rating	Class 1
Optics	Clear Glass
Weight	1.4kg
Mounting	Ceiling recessed

Offering impressive lumen packages with exceptional LOR, the Maxi Fixed units are an ideal replacement for metal halide and compact fluorescent downlights.

Available in four sizes and outputs, as well as our usual customisation options including EM and dimmable control.

Maxi Fixed



Ceiling Downlights




Product Family		Bezel Colour		CCT & Output		Suffix
S18154	Standard	.05	White	07	3000K 12.62W	.8
S18174	Drop glass	.04	Black	08	4000K 12.62W	
S18254	Under canopy	.21	Silver	02	3000K 18.42W	
				03	4000K 18.42W	
				04	3000K 26.44W	
				05	4000K 26.44W	
				33	3000K 34.34W	
				34	4000K 34.34W	

EM and dimmable options available - see page 30 for ordering info.

Midi Fixed

Interior Downlight




LIGHT DETAILS

Wattage	CCT	Lumens	Efficacy
12.62W	3000K	1932lm	153lm/W
12.62W	4000K	1987lm	157lm/W
18.42W	3000K	2740lm	149lm/W
18.42W	4000K	2836lm	154lm/W
26.44W	3000K	3726lm	141lm/W
26.44W	4000K	3833lm	145lm/W
34.34W	3000K	4941lm	144lm/W
34.34W	4000K	5152lm	150lm/W

One of our most successful UK produced downlights, the Sovereign MIDI Fixed Downlight is a powerful luminaire capable of over 5000lm with impressive efficiency.

Available in different housing styles to suit a range of applications, the Midi Fixed is offered with four different outputs as well as our usual customisable options.

DIMENSIONS



TECHNICAL SPECIFICATIONS

IP rating	IP40
CRI	>80
Lamp Life	50,000 hours
Light Source	Tridonic SLE G7
Voltage	240V
Driver	High efficiency
LED Warranty	5 Years

HOUSING

Material	Aluminium
Finish	Powder coated
Protection Rating	Class 1
Weight	0.85kg
Mounting	Ceiling Recessed

Midi Fixed



Ceiling Downlights



Product Family		Insert		Beam		Bezel Colour		CCT		Suffix
S18153	Standard	D	Darklight	SP	Spot	.05	White	00	3000K	.8
S18173	Drop glass		Standard	FL	Flood	.04	Black	08	4000K	
S18253	Under canopy			WFL	Wide Flood	.21	Silver			


EM and dimmable options available - see page 30 for ordering info.

Mini Fixed

Interior Downlight

LIGHT DETAILS


Wattage	CCT	Lumens	Efficacy
9.4W	3000K	1346lm	143lm/W
9.4W	4000K	1423lm	151lm/W



A high quality miniature LED downlight designed and produced in the UK as a realistic replacement for existing MR16 Halogen units. Incorporating the latest Tridonic LES10 LED array, this is an exceptionally efficient LED, providing up to a genuine 151lm/W including driver losses.

Includes passive heat-sink technology, built-in clear lens for glare reduction, a high performance faceted reflector, and a number of customisable options.

DIMENSIONS



TECHNICAL SPECIFICATIONS

IP rating	IP40
CRI	>80
Lamp Life	50,000 hours
Light Source	Tridonic SLE LED
Voltage	240V
Driver	High efficiency
Beam	15° / 25° / 45°
LED Warranty	5 Years


HOUSING

Material	Aluminium
Finish	Powder coated
Protection Rating	Class 1
Optics	Clear acrylic
Weight	0.38kg
Mounting	Ceiling recessed

Mini Fixed



Ceiling Downlights




Product Family		Beam		Bezel Colour		CCT		Suffix
S18120	2W	SP	Spot	.05	White	10	2700K	.8
S18121	3W	FL	Flood	.04	Black	11	3000K	
S18122	5W	WFL	Wide Flood	.21	Silver	12	4000K	
S18123	8W							
S18124	12W							

EM and dimmable options available - see page 30 for ordering info.


Mini Darklight

Display Downlight


CAT no. S18120




CAT no. S18121




CAT no. S18122



CAT no. S18123



CAT no. S18124



LIGHT DETAILS

Wattage	CCT	Lumens	Efficacy
2W	3000K	210lm	105lm/W
2W	4000K	220lm	110lm/W

Wattage	CCT	Lumens	Efficacy
3W	3000K	315lm	105lm/W
3W	4000K	330lm	110lm/W

Wattage	CCT	Lumens	Efficacy
5W	3000K	525lm	105lm/W
5W	4000K	550lm	110lm/W

Wattage	CCT	Lumens	Efficacy
8W	3000K	840lm	105lm/W
8W	4000K	880lm	110lm/W

Wattage	CCT	Lumens	Efficacy
12W	3000K	1260lm	105lm/W
12W	4000K	1320lm	110lm/W

The Sovereign Mini Darklight is a range of high quality fixed LED downlights with built in anti-glare baffle to provide a high level of comfort and efficiency.

All versions supplied complete with carefully matched remote drivers designed to pass through the cut-out, even on the tiny 2W version with its 25mm diameter (one of the smallest downlights on the market).

Simple plug & socket system between driver and head for ease of installation.

TECHNICAL SPECIFICATIONS

IP rating	IP40
CRI	>80
Lamp Life	50,000 hours
Light Source	CREE COB
Voltage	240V
Driver	High efficiency
LED Warranty	5 Years

HOUSING

Material	Aluminium
Finish	Powder coated
Protection Rating	Class 1
Optics	Anti glare baffle
Weight	0.2kg
Mounting	Ceiling Recessed

Mini Darklight




Ceiling Downlights





the
**Adjustable
Downlight**
ranges

For applications requiring variable beam angles, such as for wall displays. Ideal for retail, hospitality and office environments.



Product Family		Beam		Bezel Colour		CCT & Output		Suffix
S18151	20W	SP	Spot	.05	White	10	3000K 20W	.8
S18155	28W	FL	Flood	.04	Black	11	4000K 20W	
		WFL	Wide Flood	.21	Silver	02	3000K 28W	
						03	4000K 28W	

EM and dimmable options available - see page 30 for ordering info.



Maxi Gimbal

Interior Downlight

LIGHT DETAILS

Wattage	CCT	Lumens	Efficacy
20W	3000K	2179lm	108lm/W
20W	4000K	2311lm	115lm/W
28W	3000K	2959lm	106lm/W
28W	4000K	3137lm	112lm/W

PHOTOMETRY



TECHNICAL SPECIFICATIONS

IP rating	IP40
CRI	>90
Lamp Life	50,000 hours
Light Source	Osram PL-Core
Tilt	30°
Voltage	240V
Driver	High efficiency
Beam	Spot / Flood / Wide Flood
LED Warranty	5 Years

HOUSING

Material	Aluminium
Finish	Powder coated
Protection Rating	Class 1
Optics	Clear glass
Weight	0.6kg
Mounting	Ceiling recessed


The Sovereign Maxi Gimbal Downlight pairs an impressive light output with the flexibility of a gimbal fixture. Ideal for retail applications.

Incorporating the latest Osram PL-CORE LED modules which are coupled with a high efficiency, low flicker LED driver for optimum life and efficiency.

Fixed output drivers are supplied as standard but dimmable options are available to suit any dimming protocol.

Maxi Gimbal





die-cast aluminium
housing

independently
adjustable

Product Family		Beam		Bezel Colour		CCT & Output		Suffix
S18151/2	20W Twin	SP	Spot	.05	White	10	3000K 20W	.8
S18155/2	28W Twin	FL	Flood	.04	Black	11	4000K 20W	
		WFL	Wide Flood	.21	Silver	02	3000K 28W	
						03	4000K 28W	

EM and dimmable options available - see page 30 for ordering info.

Maxi Twin Gimbal

Interior Downlight



LIGHT DETAILS

Wattage	CCT	Lumens	Efficacy
20W	3000K	2179lm	108lm/W
20W	4000K	2311lm	115lm/W
28W	3000K	2959lm	106lm/W
28W	4000K	3137lm	112lm/W

This twin version of the Maxi Gimbal allows for great directional flexibility. Independently adjustable, the two light sources allow for precise illumination.

Available with different beam options and outputs, as well as optional EM and dimmable control.

PHOTOMETRY




TECHNICAL SPECIFICATIONS

IP rating	IP40
CRI	>90
Lamp Life	50,000 hours
Light Source	Osram PL-Core
Tilt	30°
Voltage	240V
Driver	High efficiency
Beam	Spot / Flood / Wide Flood
LED Warranty	5 Years

HOUSING

Material	Aluminium
Finish	Powder coated
Protection Rating	Class 1
Optics	Clear glass
Weight	0.6kg
Mounting	Ceiling recessed

Maxi Twin Gimbal





Product Family		Beam		Bezel Colour		CCT & Output			Suffix
S18151	Midi Gimbal	SP	Spot	.05	White	20	3000K	18W	.8
		FL	Flood	.04	Black	21	4000K	18W	
		WFL	Wide Flood	.21	Silver	22	3000K	24W	
						23	4000K	24W	

EM and dimmable options available - see page 30 for ordering info.


Midi Gimbal

Interior Downlight

LIGHT DETAILS

Wattage	CCT	Lumens	Efficacy
18W	3000K	1627lm	90lm/W
18W	4000K	1633lm	90lm/W
24W	3000K	2575lm	107lm/W
24W	4000K	2730lm	113lm/W

PHOTOMETRY



A beautifully compact high performance adjustable gimbal downlight, resulting in highly efficient light output in a fitting of just 140mm total diameter. Successfully used in major retail stores.

Available in a choice of outputs and colour temperature options. Supplied complete with high efficiency LED driver for optimum life and efficiency.

Main bezel and lamp housing of die-cast aluminium, with powder coated finish for durability. Standard colours white or black with other BS/ RAL colours to order.

TECHNICAL SPECIFICATIONS

IP rating	IP40
CRI	>90
Lamp Life	50,000 hours
Light Source	Tridonic SLE
Tilt	30°
Voltage	240V
Driver	High efficiency
LED Warranty	5 Years

HOUSING

Material	Die-cast aluminium
Finish	Powder coated
Protection Rating	Class 1
Optics	Clear acrylic
Weight	0.6kg
Mounting	Ceiling Recessed

Midi Gimbal



Ceiling Downlights



Product Family		Bezel Colour		CCT		Suffix
S18156	Scoop	.05	White	10	2700K	.8
		.04	Black	11	3000K	
		.21	Silver	12	4000K	



EM and dimmable options available - see page 30 for ordering info.

Scoop

Interior Downlight

LIGHT DETAILS

Wattage	CCT	Lumens	Efficacy
18W	3000K	2083lm	115lm/W
18W	4000K	2083lm	115lm/W
28W	3000K	3137lm	112lm/W
28W	4000K	3137lm	112lm/W



TECHNICAL SPECIFICATIONS

IP rating	IP40
CRI	>90
Lamp Life	50,000 hours
Light Source	Osram LED
Tilt	45°
Rotation	360°
Voltage	240V
Driver	High efficiency


HOUSING

Material	Aluminium
Finish	Powder coated
Protection Rating	Class 1
Optics	Clear glass
Weight	0.6kg
Mounting	Ceiling Recessed

Scoop



Ceiling Downlights



Dimming, Emergency & Lighting Control

All of our downlights are available with a full range of EM and lighting control options. To specify our downlights with our most popular lighting controls, insert the relevant code between the main product code and the suffix.

N.B.: When specifying control options without Emergency lighting options, include /20 under the Emergency selection (do not leave blank).


EM & Lighting Control Insert		
Product code	Emergency	Control
	/20 Non-EM	0 On / off
	/21 Non maintained EM	1 1-10V dimming
	/24 Maintained 3HR EM	2 DALI dimming
	/26 DALI self test EM	5 Switch dim
		6 DMX
		7 Bluetooth
		Suffix
		.8

Example: **S18156.0512.8**

Scoop Downlight / White bezel / 3000K 18W

S18156.0512/207.8

Scoop Downlight / White bezel / 3000K 18W / Bluetooth control



Bespoke Design

Product Modification

This catalogue lists only some of the options our Sovereign products offer. Commercial Lighting has extensive experience creating custom adaptations for our clients.

Need a specific housing colour, light source or bespoke colour rendering index? We can help.

Custom Product Design

Need a unique feature pendant, a specific housing design, or a solution no currently offered in our Sovereign range? Get in touch.

Many of our Sovereign products began as custom designs made in collaboration with clients.

Lighting Solutions

Our facilities include a dedicated in-house design team, metal workshop, in-house powder coating plant, and a team of experienced electrical assemblers.

This enables us to develop completely bespoke lighting solutions for any project.




the
ReVive
service

Our ReVive service puts sustainability at the heart.

Utilising 20+ years experience in sensitive restoration and refurbishment, Commercial Lighting gives old products new life, bringing them in line with the very latest standards, efficiency and performance.

The ReVive process:

1	Assessment	We'll discuss all details of the current system with you to assess viability. We might ask for a sample or arrange collection via a site visit.
2	Proposal	Our technical team will create a full proposal, identifying the best solution for your project. This will comparison between current and proposed new fittings.
3	First-off	Our in house specialist production team will produce a sample for approval before full production. Depending on complexity, the conversions can be done in our manufacturing facilities, or custom upgrade kits can be sent for conversion on site.
4	Refurbish	We refurbish and upgrade all your products and apply rigorous testing procedures.
5	Installation	Your products are returned and re-installed using existing fixings for minimal disruption. Your fittings will be covered by our 5 year comprehensive warranty.





ReVive

Updating older luminaires
with the latest LED technology



Cheaper than
buying new



Less
carbon impact



Less
waste



Improved
efficiency



Better
illumination



Extended
lifetime

About us

Commercial Lighting Systems Ltd was established in Hampshire in 1991. The company is dedicated to offering the best quality, energy-efficient lighting to the UK market.

Our business is client-led, and made up of three divisions: reputable product ranges, bespoke design, and our flagship ReVive service for restoring and updating older lighting systems.

With almost 30 employees, many working here for over 20 years, our size lets us handle projects of any size. This allows us to maintain a personal approach to business, particularly advantageous for projects with unique specifications.

Our Values

How we do business is just as important as the end product. Our approach is built around quality, honesty, and sustainability.

We continually invest in technologies that help us minimise our environmental impact. From solar panels and full EV fleet to our minimal waste policy, we ensure every stage of our operations is considered for its impact on the environment.





The signature range from
Commercial Lighting Systems Ltd